

July 19. - 53
Spain

Dear Helen —

You have many times mentioned the "electronic eager beavers" around there.

Well, here is a vital project for advanced research which I must have. I have tried three

times to get this gadget, simple as it is, and three times the persons who engaged upon it suddenly decided it was "too terribly deadly" and although they had it almost complete, stopped work on it in something like horror.

War, according to Clausewitz, is the art of inducing "a more agreeable and reasonable frame of mind in an adversary." Our adversary, usually, is far from reasonable. I have been

licking the problems of insanity
with mechanical aids. You may
have wondered why I kept telling
students to lay off the insane - It
is because it is too tough on the
auditor when I have, in development
stage, five mechanical aids which,
any one of them, lick the problem
without destroying the person, the
~~best~~ best being the favored method
being in my structure. If I come
over for a series of ^{or} lectures, I
will want to have these five
mechanical aids to demonstrate
and a means to manufacture them
to hand. We can "take Richmond?"
if I can put in psychiatric use,
these simple aids. They are, four
of them, nothing to build. The fifth

is another matter. It is the
gift we want to finish this
part of the "mechanical aids
project". If we spring any of
this before I can demonstrate and
we can manufacture and supply,
the squirrels will ruin the
entire show with unworkable
gimmicks re Howes. So
this is secret. It is also
secret that the 5th list, the
one ~~that~~ ^{requested} here, will never be
released generally and must
remain secret. The other four are
simplicity. One is reduction
of charge by grounding. Two is
release of charge by double terminaling
with mirrors. Three is reduction
of charge with B₁ and protein in
quantity (already listed, never understood)

by our "public"). Four is attention
shifting by mechanical aid.

Five is the induction in the
insane of instantaneous hypnosis
and theta clearing while tranced -
very effective but very hard to
do without a mechanical aid. The
work I am doing here is assisted
by the fact that in Spain I have
an unlimited freedom to practice
on the insane.

There are so many insane in
the US and so few auditors that
only mechanical aids plus groups
processing, can get us over this
hump. We really can solve
insanity in the U.S. but not with
individual auditing at 2 or 3 weeks
per insane patient. They go crazy faster
than we can audit.

The 5th aid uses a type of hypnosis
not generally known. It is
what is called hypnosis. The ~~body~~ On
agrees with the body. The body
is pretty crazy. When the On agrees.
too much On + body are crazy =
insanity. The body goes easily
into a somnolence. If the body
can be made not to interfere
for a short time, the On can be
retained and worked. Drugs
and shock hit the On too as
these connect with the brain control
centers. The body can be hypnotized
via the vagus nerve in the stomach.
By creating a regulated series of
impacts against this nerve, it
may be possible to hypnotize the
body and leave the On fairly free in

many cases.

In order to accomplish this the driver must not be suspected. Cited by sanitarium officials or the insured.

The device must be packaged in a very ordinary tan brief case of the type lawyers use and which has just enough room to permit pencil being carried in it, taking out and put in casually. No witnesses. The "trigger" must be part of the lock of the case so that it can be turned on and off at will.

The device itself is a super-sonic, alternately directed and dispersed, beam, dry battery operated, ~~port~~ without receiver

upwards or backwards against
 the user. The device must
 not make audible noise, or
 howls. It must, to the human
 ear, be silent. It must deliver
 an impact of considerable
 force on a ~~concentrated~~ small
 target with a concentrated
 beam. This beam must go
 on and off and alternate with
 a dispersed but ~~irradiated~~ beam
 on a slighter greater area
 target. At ~~the~~ ^{five} feet the beam
 should strike a target about
 2" in diameter. The second beam
 should strike ~~on~~ a target, same
 direction and area, about 8" or 10"
 in diameter. The number of times
 the beams strike; each, a minute,
 should be variable from 12 to 84 a

the control of the operator. He could
then set the machine for 12 narrow
beams per minute and increase it
to 84 narrow beams per minute.
(These numbers, approximate, ^{without special} control.
narrow beams always followed by broad beams.)
The breathing and heart rate, by
bringing these into outward
control, hypnosis is induced.)
The force of impact of the beams
should be as great as possible.
They should emanate from one
of the narrow ends of the
brief case, horizontally.

The Japanese have registered
many patents on such device
and whenever, I think, killed
a goat with me at 300 yards.
The device is not, however, practical
as a weapon as it uses too much
time. If the feeling that such

a device as #5, being deadly, should
not be built or placed in anyone's
hands. Let's get the construction
patent that it already exists
and could be built for numerous
purposes by anyone.

I want to be able to walk
into a sanitarium, confront
an insane patient, quiet him
in a few seconds, ~~not~~ altering
him, change his mind, wake
him up physically. And I want
a few auditors to be able to do it.
This would mean the immediate
end of psychiatric resistance
to Scientology. Then we would take
aids 1 to 4 and demonstrate and
widely install them.

I need them, here, soon, the
5th aid. I am testing and
improving the others. Only

good engineering can build

#5. Can you have it
built and airfreighted to me
quickly. I need it.

The loudspeaker came through
fine and is working well,
thanks to you -

I am organizing material
for 2 more urgent issues
this month. I expect you will
get out filler issues on their
scheduled dates.

All is well here.
My love to you both -
Flora

On shipping #5 give it
a generous price for the benefit
of the cause here. Send the
instructions by letter, not with
machine.